AF-xx-3321, AF-xx-3322, AF-xx-3323, AF-xx-3324, AF-xx-3326-BB, AF-xx-3327-BB, AF-xx-3328

(Slowly Soluble Polyphosphate Cartridge)

Effective date 1 January 2021

SECTION 1: Identification	
1A: Product Names	AF-10-3321, AF-20-3322, AF-10-3323, AF-10-3324, AF-10-3326-BB, AF-20-3327-BB, AF-10-3328
1B: Common Name	SlowPhos - Slowly Soluble Glassy Polyphosphate Cartridge.
1C: Intended use	Water treatment, corrosion and scale control
1D: Manufacturer Address	Manufacturer ResinTech Inc. 1801 Federal Street Camden, NJ 08105 Supplier Pacific Standard Specialties, Inc. 4151 E. Quartz Circle Mesa, AZ 85215 US
Contact Information:	ResinTech 856-626-1550 info@resintech.com Pacific Standard Specialties, Inc. 623 277-5160



SECTION 2: Hazard Identification	
	GHS Classification in accordance with 29CFR 1910.1200
2A: Classification of the substance or mixture	(OSHA HCS): No classification. This product does not
	meet the regulatory definition of a hazardous substance.
	Hazard pictograms: None
2B: Label Elements	Signal word: Not required.
2B: Label Elements	Hazard statements:Not classified.
	Precautionary Statements: Not classified.
	This product does not meet the regulatory definition of a
	hazardous substance. However, good industrial hygiene
	practices should be used in handling it. Other hazards
	which do not result in classification: Prolonged contact
2B: Other Hazards	may cause drying of the skin. Handle with care as some
2b. Other nazarus	sharp edges may cut. Inhalation of the dust may cause
	coughing and sneezing. No adverse health effects are
	expected if only small amounts are swallowed. Swallowing
	large amounts may cause abdominal discomfort and diar-
	rhea.
24: Environmental Effects	This material is not expected to produce any significant
	adverse environmental effects when recommended use
	are followed.

SECTION 3: Composition/Information on Ingredients			
Product/ Ingredient name	Identifiers	%	GHS Classification
Polyphosphoric acids, sodium salts	Trade Secret	Trade secret	Not classified
Phosphoric acid, calcium salt	Trade Secret	Trade secret	Not classified

The specific chemical identity and/or concentration is being withheld because it is trade secret information. Remaining ingredients do not require disclosure under regulatory hazard criteria. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



SECTION 4: First Aid Measures		
	Eye contact: Rinse eyes immediately with plenty of water. Get medical attention if irritation occurs.	
	Skin contact: Avoid prolonged or repeated contact with	
4A: Description of First Aid Measures	skin. After handling, always wash hands thoroughly with soap and water. Get medical attention if irritation develops.	
	Inhalation: Not an expected route of entry. Avoid breathing dust. If inhaled, remove to fresh air. Inhalation of the dust may cause coughing and sneezing.	
	Ingestion: Not an expected route of entry. Immediate first aid is not likely to be required. No significant health effects are expected if only a small amount (less than a mouthful) are swallowed. If large quantities of this material are swallowed, give 2-3 glasses of water to drink and call a physician immediately. Do not induce vomiting unless directed to do so by medical personnel. Do not give anything by mouth to an unconscious person.	
4B: Most important symptoms and effects	Eye contact: May cause irritation to eyes. Symptoms may include stinging, tearing, redness and swelling. Dusts may have a dehydrating effect.	
	Skin contact: May cause mild irritation to skin. Prolonged contact with the dry material may cause dryness or cracking of the skin.	
	Inhalation: If inhaled, remove to fresh air. Inhalation of the dust may cause irritation to the respiratory tract. Symptoms may include coughing and sneezing.	
	Ingestion: May cause gastrointestinal irritation. Symptoms may include nausea, vomiting, and diarrhea.	

SECTION 5: Fire Fighting Measures		
5A: Extinguishing media:	Not Flammable	
5B: Special hazards arising from the substance or mixture:	None known.	
Hazardous thermal decomposition products:	Oxides of phosphorous, sodium, calcium, and	
	magnesium.	
	Special protective equipment for fire fighters: Fire-fighters	
5C: Advice for firefighters	should wear appropriate protective equipment and	
	self-contained breathing apparatus (SCBA) with a full	
	face-piece operated in positive pressure mode.	

Revision 1.0 © 2020 ResinTech, Inc.



SECTION 6: Accidental Release Measures		
6A: Personal precautions, protective equipment and emergency procedures	Wear protective clothing, gloves, and safety glasses. Spilled beads may present slipping hazard.	
6B: Environmental precautions	Avoid contact of spilt material and runoff with soil and surface waterways.	
6C: Methods and materials for containment and cleaning up	In case of spill: Pick up via sweep, scoop, or vacuum and place in a suitable container for reclamation or disposal, using a method that does not generate dust.Personal Protection in Case of Spill: Safety glasses, Boots, and Gloves.	

SECTION 7: Handling and Storage	
7A: Precautions for safe handling	Minimize dust generation and accumulation. Do not breathe dust. Avoid contact with skin and eyes. Handle with care as some sharp edges may cut. Wash thoroughly after handling. Keep product dry until use; product will hydrolyze when in contact with moisture. Hygiene Measures: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.
7B: Conditions for safe storage, including any incompatibilities	Store in a cool, dry place to maintain product performance. Keep containers tightly closed. Keep dry and protect product from moisture until use; product will hydrolyze when in contact with moisture. Do not store together with strong oxidizing agents, strong acids, or strong bases. Keep away from heat.



SECTION 8: Exposure Controls/Personal Protection		
8A: Control parameters	· ·	e exposure limits for this d ACGIH have established erwise regulated (PNOR) and assified (PNOC) which are the
on control parameters	ACGIH TLV	OSHA PEL
	10 mg/m3 nuisance dust -Inhalable particulate	15 mg/m3 -total dust
	3 mg/m3 nuisance dust -respirable particulate	5 mg/m3 -nuisance dust respirable particulate
8B: Exposure controls	Engineering Measures: Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.	
Personal Protective Measures:	Eye Protection: This product does not present a significant eye irritation or eye toxicity requiring special protection. Use good industrial practice to avoid eye contact. Wearing protective glasses or goggles are recommended. Hand Protection: Although this product does not present a significant skin concern, minimize skin contamination by following good industrial practice. Material may have some sharp edges; wearing protective gloves is recommended. Wash hands and any other contact points after handling. Respiratory Protection: None required when product is used normally. Avoid breathing dusts. Use MSHA/OSHA approved respiratory protection equipment when airborne exposure limits are exceeded.	
Hygiene Measures:	Wear appropriate clothing and gloves to minimize skin contact. Do not eat, drink, or smoke in the work area. Clean skin thoroughly after work; apply skin cream.	
Environmental Exposure Controls:	Emissions from ventilation or should be checked to ensure requirements of environment some cases, fume scrubbers modifications to the process to reduce emissions to acce	e they comply with the all protection legislation. In s, filters or engineering equipment will be necessary





SECTION 9: Physical and Chemical Properties		
Appearance	Glassy beads or crystals	
Odor	Odorless	
Odor Threshold	N/A	
pH (1% solution)	6.5 – 7.5	
Boiling point	N/A	
Freezing point	N/A	
Flash point	Non flammable	
Melting Point	N/A	
Bulk Density	1200°F	
Water solubility	1.67 g/mL (approx. 14 lb/gal, 104.25 lb/ft3 as beads)	
Vapor Pressure	N/A	
Vapor Density	N/A	
Evaporation Rate	N/A	

SECTION 10: Stability and Reactivity	
Reactivity	No specific test data related to reactivity available for this product or its ingredients.
Stability	The product is stable under normal handling and storage conditions described in Section 7.
Conditions to avoid	Dusting conditions; extreme humidity or moisture; excess heat.
Incompatible materials	Strong oxidizing agents, strong acids and strong bases.
Hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Hazardous decomposition products	Oxides of phosphorus, sodium, calcium, and magnesium.



SECTION 11: Toxicological Information	
11A: Information on toxicological effects	No classification. This product does not meet the regulatory definition of a hazardous substance according to 29 CFR 1910. No toxicity studies have been conducted by the manufacturer. Information is based on Product Test Data, Ingredient Data, or Data Based on Testing of Similar Materials.
Acute Toxicity:	Inhalation: May cause irritation to the respiratory tract. Symptoms may include coughing, sneezing, chest pain, runny nose and burning throat. Inhalation of product may aggravate existing chronic respiratory disease. Ingestion: No adverse health effects are expected if only small amounts are swallowed. Swallowing large amounts may cause abdominal discomfort and diarrhea. Symptoms may include nausea, vomiting and diarrhea. Skin contact: May cause mild irritation to skin. Symptoms may include redness and burning. Prolonged contact with the dry material may cause dryness or cracking of the skin. Eyes contact:May cause irritation to eyes. Symptoms may include stinging, tearing, redness and swelling. Dust have a dehydrating effect. Sensitization: Not expected to be a sensitizer. Bisphenol A (BPA): BPA is not used in the production this material and is not intentionally added with any additives used in the manufacture of this material.
Chronic toxicity:	Carcinogenicity: Classification for carcinogenicity is not warranted. This product does not contain any substances that are considered by IARC, NTP, OSHA, EU or ACGIH to be "probable" or "suspected" human carcinogens. Mutagenicity: Classification for mutagenicity is not warranted. Reproductive toxicity: Classification for reproductive toxicity is not warranted. Specific target organ toxicity (single exposure): Classification for specific target organ toxicity is not warranted. Specific target organ toxicity(repeated exposure): Classification for specific target organ toxicity is not warranted. Aspiration hazard: Based on available data, the classification criteria are not met.

Revision 1.0 © 2020 ResinTech, Inc.



SECTION 11: Toxicological Information	
11B: Numerical Measures of Toxicity	Information is based on Product Test Data, Ingredient Data, or Data Based on Testing of Similar Materials.

Test	Species	Results (Classification, Category)	Basis
Oral Toxicity, LD50	Rat	Not classified	Based on Ingredients
Dermal Toxicity, LD50	Rabbit	Not classified	Based on Ingredients
Eye Irritation	Rabbit	Not classified	Based on Ingredients
Skin Irritation	Rabbit	Not classified	Based on Ingredients

SECTION 12: Ecological information		
12A: Eco toxicity	Not available; no ecotoxicity studies have been conducted by the manufacturer.	
12B: Persistence and Degradability	Not applicable, since inorganic substance. Degradability in sewage works: Slow hydrolysis to orthophosphate form.	
12C: Bioaccumulative potential:	Not expected to bioconcentrate.	
12D: Mobility in soil	Soluble in water. Inorganic compounds in contact with the soil, sub-surface or surface waters may be taken up by plants and utilized as essential nutrients. Phosphates may also form precipitates, usually with calcium or magnesium. The resultant compounds are insoluble in water and become a part of the soil or sediment.	
12E: Other adverse effects	This material is not expected to product any significant adverse environmental effects when recommended use instructions are followed.	

SECTION 13: Disposal Considerations		
13A: Waste Disposal Method:	Dry material may be land filled or recycled in accordance with local, state and federal regulations.	
12B: Hazardous waste:	Not applicable	
12E: Packing:	Empty containers should be taken for local recycling, recovery or waste disposal.	



SECTION 14: Transportation Information		
DOT Proper shipping name:	Not Applicable	
UN Number	Not Applicable	
Marine Pollutant	No	
Transport Label:	None	
NMFC Description:	NMFC 46510, Phosphates, NOI, Class 55	

SECTION 15: Regulatory Information	
NSF/ANSI Certification	Certified under NSF/ANSI Standard 42 Drinking Water Treatment Units –Aesthetic Effects. Product conforms to the material requirements only. EPA limits the phosphate content of effluent water to 10 mg/L (MUL). Certified under NSF/ANSI Standard 60 Drinking Water Treatment Chemicals –Health Effects, for use in potable water systems at concentrations up to 14 mg/L (MUL).
RoHS2 ComplianceRoHS2 compliant.	Slow Phos does not contain prohibited substances above the maximum concentration values (MCV) listed in Article 4 and Annex II of the European Union directive 2011/65/ EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (recast), also known as RoHS2. Under this directive, lead, mercury, cadmium, hexavalent chromium, polybrominated biphenyls and polybrominated diphenyl ethers are prohibited in the manufacture of electrical and electronic equipment above the MCVs in Annex 11, with the exception of those items listed in Annexes III and IV to the directive.
REACH Compliance	Does not contain any chemicals on the REACH SVHC List.
CERCLA	Contains no listed substances.
SARA 302 Extremely Hazardous Substances	Contains no listed substances.
SARA 311/312 Hazard Categories	Acute/Immediate: No Chronic/Delayed: No Fire: No Reactivity: No Pressure: No
SARA 313 Toxic Release Inventory	Contains no listed substances.



SECTION 15: Regulatory Information		
CALIFORNIA PROPOSITION 65	This product does not contain substances which require warning under CaliforniaProposition 65.	
Chemical Inventory ListsAustralia (AICS)	All components are listed on the Australian Inventory of Chemical Substances.	
Canada (DSL)	All components are listed on the on the Canada Domestic Substances List.	
China (IECSC)	All components are listed on the Inventory of Existing Chemical Substances in China.	

SECTION 16: Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features. Regulatory requirements are subject to change and may differ from one location to another. It is the buyer's responsibility to ensure that their activities comply with federal, state, and local laws.

16A: Date of Revision	1 January 2021
-----------------------	----------------

