

# Water Quality Association Gold Seal Certificate

**ResinTech, Inc.**

1801 Federal Street  
Camden, NJ United States  
Facility: Resin Tech, Inc.

Certification Date: February 10, 2021

Authorized By: *Caren L. Settler*

Caren L. Settler  
Process Improvement Manager

**Water Quality Association**  
**4151 Naperville Road**  
**Lisle, IL 60532, USA**



Products are evaluated according to Product Certification Scheme Type 5, as defined in ISO/IEC 17067 (current version).  
This Certificate, or any part thereof, may not be used in a misleading manner and validation of its use is contingent upon the Official WQA web-listing.  
Please contact your Project Leader for product expiration terms. All Standards referenced in the Product Certification Schemes by Standard Name.

# Water Quality Association Official Gold Seal Listing

Granted to the following company:

ResinTech, Inc.  
1801 Federal Street  
Camden, NJ 08105 United States

For the Facility Located at:

Resin Tech, Inc.  
1801 Federal Street  
Camden, NJ 08105 United States

The WQA Gold Seal Certification Department has issued certification for the following model(s) to the standard(s) below. Only models that appear in the official listing are authorized to bear the WQA Gold Seal.

**NSF/ANSI 44 - 2018: Residential Cation Exchange Water Softeners**

CGS

## NSF/ANSI/CAN 61 - 2018: Drinking Water System Components - Health Effects

AGC-30-**	AGC-30-CS-**	AGC-40-**
AGC-40-CS-**	AGC-50-**	AGC-50-CS-**
ASM-10-HP	CG10-HP	CG8-BL-HP
CG8-C-HP	CG8-F-HP	CG8-HP
CG8-UPS	CGS	CGS-BL
RSM-25	RSM-50-HP	SACMP-HP
SBACR-HP	SBACR-MP-HP	SBG1-HP
SBG1P-HP	SIR-100-HP	SIR-110-HP
SIR-22P-HP	SIR-700	WACG-HP
WACG-HP-Ca	WACG-HP-Mg	WACG-HP-S
ResinTech SBG2-HP	ResinTech SBG2-HP-HCO3	

Notice: To request any changes to the certified model(s), please request a Change to Certified Product (CCP) form. Examples include any change to the wetted part or formulations such as supplier or material types, literature, or a change in company name. This list is not all inclusive. Failure to submit documentation regarding changes may result in non-compliance with the standard(s) as well as de-listing of the affected models.