PRODUCT SPECIFICATION SHEET



INERT MEDIA
FLOATING SUPPORT BED
FOR USE IN PACKED BEDS

ResinTech IT-5 is an inert low density support media for packed beds. IT-5 is significantly less dense than water and is rectangular in shape. It is intended to float above the active resin in packed bed ion exchangers. IT-5 acts as an upper support bed and prevents resin fines from clogging distributer screens.

APPLICATIONS

• Packed Bed Layer

TYPICAL PROPERTIES & PHYSICAL CHARACTERISTICS	
Polymer Matrix	Polypropylene Clear
Ionic Form	Inert
Physical Form	Rectangular Granules
Particle Size	8 to 12 US Mesh (1680 - 2380 μm)
% < 50 mesh (300μm)	< 1%
Uniformity Coefficient	1.2
Temp Limit	212°F (100°C)
Moisture Retention	0% to 5%
Shipping Weight	32 - 34 lbs/ft³ (513 - 545 g/L)
Color	Clear White
Uniform Particle Size	Yes

PACKAGING OPTIONS

- 500 ml samples
- 1 ft³ bags
- 1 ft³ boxes
- 1 ft³ drums
- 7 ft³ drums
- 42 ft³ supersacks

SUGGESTED OPERATING CONDITIONS

Maximum continuous temperature212°FMinimum bed depth6 to 9 inchesOperating pH0 to 14 SU

Note: These guidelines describe average low risk operating conditions. They are not intended to be absolute minimums or maximums.

For operation outside these guidelines, contact ResinTech Technical Support

Revision 1.0
ResinTech, Inc.®

